




LOCKNLUBE

PRODUCT CATALOG

LOCKNLUBE.COM
603-795-2298

➔ **TO SEE COMPLETE PRODUCT SELECTION**

LOCKN LUBE

LockNLube was founded by farmers and loggers with the simple mission to end greasing frustration. To this day we are laser-focused on providing our customers with the best tools, the best guarantee, and the best customer service we can provide.

Our **Best Built Guarantee** ensures that if our products don't live up to this promise we'll make it right, every time. And if you have a question or need help, call us. We're in our office in New Hampshire 9-5 EST, Monday-Friday.



TABLE OF CONTENTS

LOCKNFLATE AIR TOOLS

LockNFlate® Air Chuck	4-5
Inflator Gauge Kits	6
Dual Wheel Adapters	7
Milwaukee® M18™ Inflator	8
Air Fittings & Adapters	9

LOCKNLUBE® GREASE COUPLERS

LockNLube® Grease Couplers	10-11
In-line Hose Swivels	12
Upgrade Your Grease Gun Kit	12

GREASE GUNS

G.Gun Bulk Grease Gun	13
Professional Series Lever Grease Gun	13
Professional Series Pistol Grip Grease Guns	14
Easy-Prime Grease Guns	15
Spin-On Grease Guns	16
Heavy-Duty Grease Guns	17
Specialty Grease Guns	18-19

GREASING ACCESSORIES

Grease	21
Hoses	22
Grease Fitting Relocation Kits	22-23
90° Adapters	23
Greasing Adapters & Tools	24-25
Grease Fitting Sets	26
More Greasing Tools	27
The Original Grease Buster® & Accessories	28
Fluid Transfer Pumps	29

FENCING TOOLS & MORE

Clip Bender®	30
More Fencing Tools	31
Grease Gun Barrel Toolbelt	32
Wand Wizard®	33
LockNLube Shirts & Hats	34
Mail In Order Form	35



LOCKNFLATE[®]

AIR CHUCK

LOCKS ON—STAYS ON—WON'T LEAK

LNL65002 CLOSED FLOW \$39.99

LNL65001 OPEN FLOW \$39.99


Like no other air chuck on the market, the LockNFlate's six steel jaws lock onto any Schrader valve to create a secure, hands-free connection. The heavy-duty construction is built to last and stand up to everyday use in even the busiest tire shops, service bays, and garages.

Features:


- Fits standard Schrader valves [VG8/8V1 valve threads]
- Rated to 150 PSI
- 1/4" NPT Thread Size, fits most standard air hoses
- Heavy-duty construction for strength and durability. Resists corrosion
- Available in 2 styles: Open Flow or Closed Flow

HARDENED STEEL COLLET


- Fits all standard Schrader valves (VG8/8V1 valve threads)
- Rated to 150 PSI



Durable spring-loaded TPU seal



Sliding sleeve securely locks the air chuck onto the Schrader valve



CLOSED FLOW:

Must engage the tire valve for air to flow. For use directly from a compressor or air hose.

OPEN FLOW:

Air passes through freely on or off the valve stem. For use with inflator gauges and automatic systems.

TIRE INFLATOR/DEFLATOR WITH DIGITAL GAUGE

LNL65301

\$139.99

Heavy-duty, aluminum diecast inflation/deflation gun with flexible stainless steel hose and included LockNFlate® Air Chuck!

- Large, easy-to-read, backlit LCD display for pressure setting, readout, and programming
- Shock-absorbing rubber shroud protects digital components
- 24" (600 mm) flexible stainless steel hose
- Built in pressure release valve for easy deflating
- Max. pressure 230 PSI
- Gauge readout 0-300 PSI [0-21 Bar]
- 4 pressure measurement units (psi, bar, kPa, kg/cm2)
- Takes two AAA batteries (included)



PRE-SET DIGITAL TIRE INFLATOR GAUGE

LNL65302

\$399.99

The ultimate tool for the professional technician, as well as anyone who demands the highest quality tools for their shop. Set your desired pressure and this state-of-the-art inflator/deflator does the rest!

Pick your desired tire pressure or use the two presets for your most common pressures. Engage the included LockNFlate® Air Chuck and let the inflator work without holding anything in place. The inflator gives a loud beep when it's done so you know when to set down your cup of coffee and return to the tire.

- Rechargeable lithium-ion battery provides up to 15 hours of continuous use
- Audible beep indicator when the set pressure is reached. No need to stand by and watch the screen
- Tough polycarbonate body is shock and impact-proof. Can handle hard work in rough environments
- OPS: Built in over-pressure setting for exact seating of tire on the rim. Great to use when setting new tires
- 4 pressure measurement units (psi, bar, kPa, kg/cm2)





**BEST
SELLER**

LOCKING DUAL WHEEL ADAPTER - 15.5"

LNL65107

\$99.99

Two jaw locking design with a patented remote actuator. Extended reach to securely inflate duals. Easily disconnect with the actuator, no need to reach in to disconnect.

Overall Length: 15.5" (40 cm)

Max pressure: 150 PSI (10.3 BAR)



DUAL WHEEL ADAPTER - 13.5"

LNL65106

\$29.99

Dual head air chuck

Overall Length: 13.5" (33 cm)

Max pressure: 150 PSI (10.3 BAR)



ANGLED DUAL WHEEL ADAPTER - 9.5"

LNL65103

\$19.99

Dual head air chuck

Overall Length: 9.5" (24 cm)

Max pressure: 150 PSI (10.3 BAR)



4-WAY VALVE CORE TOOL

LNL65201 \$4.99

Use the 4-in-1 valve tool to remove valve cores, re-tap threads, and ream the inside of valves. Works on all standard Schrader valves.

MILWAUKEE® M18™ CORDLESS TIRE INFLATOR KIT

2848-20-KIT \$219.99

We've combined the best 18V cordless inflator on the market with our LockNFlate Air Chuck and precision-machined adapter to create a powerful cordless combo that locks on, stays on, and won't leak... hands-free!

- Auto pressure check feature activates to ensure PSI target is achieved
- Automatic shut-off at selected PSI prevents overinflation
- 4 PSI memory presets
- On-board hose & nozzle storage
- Anti-vibration rubber feet to minimize walk
- Inflation needle, inflator nozzle, and presta chuck included
- Sold only as a kit with all 3 pieces.

Batteries are sold separately.



LOCKNFLATE FIVE PIECE BLOW GUN KIT

LNL65202 \$29.99

Our lightweight air blow gun kit is great for clearing debris, removing dirt and dust, and drying wet surfaces.

- Impact and weather-resistant nylon body with polyacetal trigger
- 4 1/2" (114 mm) long nozzle to access hard-to-reach areas
- Brass threaded air inlet ensures that threads do not shear with repeated use
- Variable speed trigger for full control of the airflow
- Vent in the gun tip prevents pressure build-up beyond 30 PSI ensuring safety & OSHA compliance at all times



THE PRO™ FILL AIR CHUCK FROM MOTION PRO

08-0602 \$42.99

We set out to find the best-built, most adjustable, multi-angle adapter for hard-to-reach tire valves, and this is it! The Pro™ Fill Air Chuck from Motion Pro's billet aluminum construction is lightweight and has a precise fit. Utilizing our custom tire inflator adapter, it's the perfect complement to the LockNFlate® Air Chuck. (Both sold separately)

- Stainless steel banjo pivot bolt provides durable performance
- Pivoting angled head design allows access to difficult-to-reach tire valves
- Unique design provides added clearance between filler and hot brake rotors
- 1/4"NPT female inlet allows use of common air hose couplings and fittings
- Blue anodized finish
- US Patent No. 9,649,898
- Lifetime limited warranty through Motion Pro



**BEST
SELLER****LOCKNFLATE AIR INFLATOR ADAPTER
1/4" NPT (M) TO STANDARD SCHRADER VALVE (M)****LNL65196 \$9.99**

Precision-machined tire inflator adapter that easily connects the LockNFlate® Air Chuck to any inflator or pump with a screw-on, or other, female Schrader valve connection such as the Milwaukee M18 Inflator, and others.

**MILTON® FITTING TO 1/4" NPT ADAPTER****LNL65197 \$9.99**

Custom adapter to mate the LockNFlate® Air Chuck with the Milton® 500-Series tire inflators. *Call us at 603-795-2298 for more information about compatibility.*

**AIR COUPLER QUICK CONNECT****LNL65101 \$5.99**

1/4" NPT(F) to quick connect coupler. 1/4" Basic flow size with air flow capacity of 40 standard cubic feet per minute. Both the body and sleeve are made of brass.

**AIR PLUG QUICK CONNECT TO 1/4" NPT, 2 PACK****LNL65102 \$4.99**

1/4" NPT (M) quick connector suitable for pneumatic tools such as air compressors, air hoses, blow guns, air nails, etc. Made of high-quality, rust-resistant plated steel. Two quick connects per pack.


**THREADED 1/4" NPT (M) HOSE ADAPTER****LNL65104 \$2.99**

Threaded 1/4" NPT (M) to hose barb adapter. Made of high-quality, rust-resistant plated steel.

**Or call 603-795-2298**

LOCKNLUBE®

GREASE COUPLER



LOCKNLUBE® GREASE COUPLER REBUILD KIT


Available individually or in
cost-saving multi-packs

GC81012 \$9.99

GC81012-3 \$24.99

GC81012-10 \$70.99

Easily replace the rubber seal and
jaws on your LockNLube® Grease
Coupler. Rebuild Kit fits both
LockNLube® couplers.




**BEST
SELLER**

LOCKNLUBE® GREASE COUPLER

GC81011

\$29.99

Replace your existing coupler with a LockNLube® Grease Coupler, and end greasing frustration! 1/8" NPT thread, works with all grease guns and Zerk fittings. Finally, a grease coupler that really works – hands-free, no mess, and no wasted grease! Includes a free Rebuild Kit (GC81012).



LOCKNLUBE® GREASE COUPLER XL

GC81042

\$39.99

The LockNLube® Grease Coupler XL features the same locking technology as the original LockNLube® Grease Coupler. A longer barrel gives over 3.5" of effective reach. Perfect for greasing U-joints, harvester heads, shielded PTO shafts, and deeply recessed Zerks. Includes a free Rebuild Kit (GC81012).



IN-LINE HOSE SWIVELS

LNL231 1/8" NPT \$11.99

LNL231-F 7/16"-28 \$11.99

LNL231-C 7/16"-20 \$11.99

**BEST
SELLER**

The LockNLube In-line Hose Swivel is built to withstand up to 10,000 PSI so that you can use it with any grease gun - battery, pneumatic, or hand-pump. Our reinforced design also stands up to lateral pressures that get put on a grease gun hose, not just the pressure of the grease moving through it. Our traditional and best-selling 1/8" NPT swivel fits almost every manual grease gun. The 7/16" swivels are engineered to match the threads and specs of battery-operated grease guns from most major manufacturers. Available in both fine and coarse threads.


LNL231-F

LNL231

LNL231-C

LNL231 1/8" NPT Standard
For manual grease guns


LNL231-F Fine Threads (7/16"-28)
Compatible with Dewalt and Lincoln



LNL231-C Coarse Threads (7/16"-20)
Compatible with Milwaukee, Ryobi, Ridgid and Alemite



Our swivel works best when installed between the grease gun and the hose (not directly behind the coupler). Secure all parts snugly with a set of wrenches, no need to over tighten.



LOCKNLUBE HOSE ASSEMBLY COUPLER, HOSE, AND SWIVEL

LNL321 \$46.99


You save 15% vs. buying all 3 separately!

To upgrade your grease gun, unscrew your current hose and coupler, and screw in our pre-assembled Coupler-Hose-Swivel unit. End greasing frustration with LockNLube!

This assembly bundle includes the LockNLube® Grease Coupler, a high-quality 20" whip hose, and our 10,000 PSI rated hose swivel. LockNLube Rebuild Kit included.



Holds two gallons of bulk grease



Foot-operated pedal delivers 10,000 PSI

Patented pressure return valve

Includes the patented LockNLube® Grease coupler

G.GUN GREASE GUN

GG80004

\$249.99

The ultimate in industrial greasing strength – foot-operated, over two gallon capacity, 10,000 PSI output, patented pressure return valve that eliminates pressure locks. Delivers an ounce of grease in just 11 strokes. Includes a LockNLube® Grease Coupler, G.Scoop, and 10 foot hose.



G.SCOOP GS30001 \$25.00

Included with the G.Gun and separately available for purchase. The easiest and cleanest way to move bulk grease.

Combo air bleeder valve and "Loop & Lock" storage Zerk



20" Hose

In-line Hose Swivel

LockNLube® Grease Coupler

Locking T-pole won't droop

Innovative design eliminates back pressure by returning grease directly to the grease cartridge for an easy, mess-free disconnect from clogged grease fittings

PROFESSIONAL SERIES LEVER GREASE GUN

LNL351

\$119.99

The LNL351 Professional Series Lever Grease Gun is the result of years of work based on feedback from our customers. We designed this gun to work better than anything out there, both for use and storage. The combination of unique features and precision engineering make this the gold standard for what a lever grease gun can be.

- Unique pressure return system allows for easy disconnect from clogged fittings
- Combo air bleeder valve and "Loop & Lock" storage Zerk means clean and easy storage
- Includes the original patented LockNLube® Grease Coupler, In-line Hose Swivel and 20" hose
- Machined zinc head reduces air pockets to make reloading and priming easy

LOCKNLUBE PROFESSIONAL PISTOL GRIP GREASE GUN

LNL252 \$79.99

The LNL252 delivers up to 8,000 PSI. A lightweight, cast aluminum head combines extreme durability and lightweight construction. A large ergonomic handle means you have more grip on the grease gun, an integrated handle clip makes storage clean and easy.

To eliminate priming issues, we designed an oversized locking notch on the bottom plate (not a tab). This makes for fast and easy reloading, and helps force any air pockets out of the system. As seen on the Motortrend Channel!

**BEST
SELLER**



PROFESSIONAL SERIES DUAL-MODE PISTOL GRIP GREASE GUN


LNL353 \$109.99

**THE EASIEST WAY TO BUILD HIGH
PRESSURE IN A PISTOL GRIP!**

Easy one hand toggle to switch from High Volume to High Pressure mode. The patented 2-Piston mechanism mimics the pressure or volume you'd expect from a lever gun with the one-handed operation of a pistol grip. Our included LockNLube® Grease Coupler, In-line Hose Swivel, and 20" whip hose mean no leaks, no mess, and no hands needed to keep the coupler in place.

FEATURES:

- Easy one hand toggle to switch from High Volume to High Pressure mode.
- Choice of Top or Front Discharge Port
- Patented 2-Piston Mechanism





LOCKNLUBE EASY-PRIME GREASE GUNS

LEVER	LNL251	\$99.99
PISTOL	LNL254	\$109.99

Easy-priming, high pressure, and European-engineered, the LockNLube Easy-Prime Grease Guns will change your idea of what a grease gun can be. The lightweight design does away with the follower rod and plate, replacing them with a simple, reusable cap. The plastic follower is pulled up as you grease and scrapes the tube clean—no drips, no mess! The precision design allows for fast and easy priming, enabled by a vacuum seal that keeps the follower sealed tightly. Our included LockNLube® Grease Coupler, In-line Hose Swivel, and 20" whip hose mean no leaks, no mess, and no hands needed to keep the coupler in place.

The LNL254 Pistol Grip version adds a Dual Delivery Mode: Toggle for high pressure (5,000 PSI max) or high volume delivery (27 strokes/ounce).



Includes TEN Reusable Caps

Extra caps sold separately on our website.
SKU: 14900

NO MORE FOLLOWER ROD AND PLATE:

Simple, reusable cap seals tightly from the bottom and uses the maximum amount of grease in the cartridge.

Precision rolled threads on the barrel lock tight with fewer spins and no cross threading.

Or call 603-795-2298

LOCKNLUBE SPIN-ON GREASE GUNS


LEVER LNL155 \$94.99

PISTOL LNL154 \$94.99


The LockNLube Spin-On Grease Gun uses convenient, threaded grease cartridges.

Uncap the cartridge, spin it into the gun, and get greasing! The pre-installed follower is pulled up as you grease and scrapes the cartridge clean. No oily drips or wasted grease!

- Designed to work ONLY with 14.5 oz/400 gm threaded grease cartridges
- The Spin-On Grease Guns create a vacuum that pulls grease up and into the head. This ensures full utilization of grease in the cartridge, and eliminates the spring-loaded follower and most common priming issues
- Permits fast & easy reloading without unscrewing the head. No air pockets or air bleeding required, just push up on the plastic follower
- Robust aluminum die-cast head and sturdy lever are heavy-duty and built to last. Non-slip textured powder-coated finish for extended service life



Both include a cartridge of grease



SIMPLE-LIGHT-CLEAN

The LockNLube Spin-On Grease Gun uses convenient threaded grease cartridges.

Uncap the cartridge, spin it into the gun, and get greasing! Pre-installed follower is pulled up as you grease

and scrapes the cartridge clean. No oily drips or wasted grease!

INCLUDES
A CARTRIDGE
OF GREASE

No Drips-No Mess-No Fuss



See p. 19 for more grease


**BEST
SELLER**

LOCKNLUBE HEAVY-DUTY PISTOL GRIP GREASE GUN

LNL153 \$69.99

The LNL153 is a heavy-duty grease gun that gets the job done! We include a high quality 20" hose, In-line Hose Swivel, and LockNLube® Grease Coupler. We guarantee that the coupler locks on and won't leak. When you're done greasing just push the thumb lever down to release.

The rubber grip and shaped handle make this grease gun comfortable in the hand. Rated up to 5,000 PSI, this gun puts out plenty of pressure to handle sticky fittings. Includes an air bleeder valve so you can load and prime the gun easily.




LOCKNLUBE HEAVY-DUTY LEVER GREASE GUN

LNL151 \$69.99

A heavy-duty lever grease gun that delivers an ounce of grease in 28 strokes and rated up to 10,000 PSI. Uses a standard 14 oz. cartridge. A 20" heavy-duty hose with In-line Swivel and LockNLube® Grease Coupler makes greasing fast, clean, and easy.

Our "Loop & Lock" storage feature allows you to secure the coupler when not in use. This means no more greasy mess on your clothes, truck, and shop from loose hoses flying around when you pick up the grease gun.



Or call 603-795-2298

2-IN-1 PNEUMATIC GREASE GUN

LNL262


\$99.99

Single-shot and continuous delivery modes in one grease gun!

Easily switch delivery mode with sliding selection lever.

Features:

- Heavy-duty and durable die-cast head with precision honed internal bore for rapid action
- T-pole locks to the side for easy loading and priming
- Air bleeder valve helps priming
- "Loop & Lock" storage technology for easy storage and carrying



4-IN-1 GREASE INJECTION GUN KIT

LNL253

\$54.99

LockNLube's most versatile and unique grease gun. Our precision-machined injection grease gun builds up to 2,000 PSI, won't leak from the push button, and can be used to grease Zerk fittings, slides, bearings, or other jobs that require a fine or precise grease application.

Includes:

- Two (2) Tips: Precise brass needle for a fine line of grease and precise applications. Zerk fitting applicator for greasing Zerk (grease) fittings
- Four (4) loading options: bulk grease reservoir, standard lipped (paper) cartridges, threaded grease cartridges, screw-in tubes (9/16 UNF thread)



Two Tips!




MINI GREASE GUN

LNL156 \$59.99

Small size fits easily into a toolbox or storage compartment. Develops 3,500 PSI.

Includes: LockNLube® Grease Coupler, 12" Hose, and In-line Hose Swivel



AIRTEC G200 EP GREASE 3 oz. GREASE CARTRIDGES G200EP-3 \$13.99

Calcium complex, extreme weather grease.

3 Pack of 3 oz. grease "mini" cartridges. Perfect fit for the LockNLube Mini Grease Gun.

NLGI#2 - 535° F temp rating

See p. 21 for more grease



MILWAUKEE® M18™ CORDLESS 2-SPEED GREASE GUN

GUN ONLY (NO BATTERY OR CHARGER) MIL2646-20-11 \$265.99

GUN +1 BATTERY, CHARGER & CASE MIL2646-21-11 \$329.99

GUN +2 BATTERIES, CHARGER & CASE MIL2646-22-11 \$389.99



The Milwaukee® M18™ Cordless 2-Speed Grease Gun delivers maximum pressure and unmatched versatility, offering 10,000 PSI max operating pressure and a patent pending pre-set counter that allows service and maintenance professionals to dispense precise amounts of grease.

The tool's two-speed design toggles max pressure and max flow rate. Other unique features include an on-board LED light, a lock-on/lock-off trigger, and a plunger rod with markings to gauge how much grease is left in the barrel.


ALL MODELS include the LockNLube® Grease Coupler and In-line Hose Swivel (LNL231-C)

- 20-11 is the bare gun and **doesn't include batteries or charger.** Order only if you already have other Milwaukee 18V batteries and don't need the full kit.
- 21-11 - Includes 1 Battery, Charger & Case
- 22-11 - Includes 2 Batteries, Charger & Case

The 21-11 and 22-11 models include the new multi-voltage charger so you can charge all M12™ and M18™ lithium-ion batteries with one charger.



Or call 603-795-2298



LockNlube®
Grease Coupler
Page 11

In-line Hose
Swivel
Page 12

LNL151 Heavy-duty
Lever Grease Gun
Page 17

Grease Gun
Barrel Cap
Page 27



PARAGON 3000 LITHIUM GREASE

108500	(SINGLE CARTRIDGE)	\$14.99
108500-10	(PACK - 10 CARTRIDGES)	\$119.99
108500-40	(CASE - 40 CARTRIDGES)	\$479.99
108500-4055	(45 LB. PAIL)	\$454.99

Multi-purpose, high quality lithium grease (NLGI #2) offers extreme anti-wear protection under heavy loads, shock conditions, and normal loads. Passes a full 100 lb. Timken test. Extreme stability and consistency. Does not soften like some grease, allowing leakage away from the area where the grease is needed. Best choice for high heat applications.



PARAGON 3000 MOLY GREASE

108598	(SINGLE CARTRIDGE)	\$14.99
108599	(PACK - 10 CARTRIDGES)	\$129.99
108598-40	(CASE - 40 CARTRIDGES)	\$517.99
108505-4055	(45 LB. PAIL)	\$499.99

MOLY PARAGON 3000 is an extreme pressure, multi-purpose, calcium-lithium complex base grease. Specially formulated to use in industries with applications that experience extreme conditions such as high shock loading, high heat, moisture, or areas where stability is needed. It is excellent for use on bearings, pins, bushings, cam and slide mechanisms, universal joints, chains, and chassis points.



TRC 880 CROWN & CHASSIS GREASE (100 TIMKEN LOAD)

108455-8456	(SINGLE CARTRIDGE)	\$13.99
108455-8457	(PACK - 10 CARTRIDGES)	\$95.99
108455-8456-40	(CASE - 40 CARTRIDGES)	\$383.99
108455-4055	(45 LB. PAIL)	\$379.99

The "red grease with golden flakes" is a favorite nationwide - from industrial to agriculture, to trucking. 880 C&C meets and exceeds the demands of a multi-purpose lubricant. With a Timken load rating of 100 pounds minimum, 880 C&C meets special lubrication needs, providing the ultimate in extreme pressure protection. It's excellent for use on ball joints and fifth wheels, which are constantly placed under heavy loads. Impervious to water, 880 C&C stays put.

PARAGON 3000 LITHIUM GREASE LUBE-SHUTTLE®

108500-1097	(SINGLE CARTRIDGE)	\$14.99
108500-1096	(PACK - 10 CARTRIDGES)	\$120.99
108500-1097-40	(CASE - 40 CARTRIDGES)	\$460.99

Paragon 3000 now available in a threaded cartridge for our SPIN-ON GREASE GUNS (p.14)



AIRTEC G200 EP GREASE

3 oz. GREASE CARTRIDGES

G200EP-3	(3 PACK)	\$13.99
----------	----------	---------

Calcium complex, extreme weather grease. 3 Pack of 3 oz. grease "mini" cartridges. Perfect fit for the LockNLube Mini Grease Gun (p.19).





GREASE WHIP HOSE

GR88003	5" (125MM)	\$8.99
OS01015	12" (300MM)	\$10.99
OS01016	20" (500 MM)	\$12.99
OS01032	28" (750MM)	\$14.99

A high-quality grease gun whip hose with a working pressure of 6,000 PSI and a burst pressure of over 14,000 PSI. Both ends are male 1/8" NPT.



STRAIGHT ZERK FEMALE 1/8" NPT

1618-B \$1.99

We use this fitting on our quick-connect hose adapter (below). Perfect for building your own grease fitting relocation hoses. These fittings have Trivalent zinc plating and are RoHS compliant.

LOCKNLUBE 48" UNIVERSAL GREASE HOSE

LNL271 \$39.99

Twin spring guards prevent kinks and cracks and ensures safety with cordless battery grease guns. A heavy-duty hose with 28,000 PSI burst pressure yet still flexible enough to maneuver easily. 7/16"-28 base end threads compatible with Lincoln and DeWalt® cordless battery grease guns. Included adapters ensure compatibility with all cordless grease guns on the market: 7/16"-20 for Milwaukee® battery, 1/8" NPT for manual grease guns or other brands' cordless models. Working hose end is a standard 1/8" NPT male connection compatible with LockNLube® or other grease couplers.




GREASE FITTING RELOCATION KIT

GFRK \$9.99 - \$20.99

SEE WEBSITE OR CALL FOR EXACT PRICING & SKUs

The LockNLube Grease Fitting Relocation Kit replaces hard-to-reach grease fittings with a high-quality 5", 12", 20", or 28" flexible hose and your choice of adapter. The hose is capped with a Zerk so you can locate the access point wherever you like.

- BUILD YOUR OWN BUNDLE! Choose a hose length, a Zerk, and an elbow
- High-pressure grease hoses have a burst pressure of 14,000 PSI
- Choice of "zero-spin" adaptors give the flexibility to route the flexible hose through tight spaces and angles
- A high-quality Zerk fitting caps the grease hose, and provides easy access for your grease gun
- Do you need an angled female thread fitting? We have those too!



**UPGRADE
TO A CENTRAL ACCESS
POINT WITH OUR
MAGNETIC RELOCATION
BLOCK!**

90 DEGREE ADAPTERS

**BEST
SELLER**




LOCKNLUBE 90° ADAPTER

LNL120 \$16.99

A 90° adapter for hard-to-reach grease fittings with three hardened steel jaws and a rubber seal.


Quickly connect to your LockNLube® Grease Coupler, or standard grease coupler, so you don't have to change your grease gun to reach troublesome fittings. Just connect your coupler to the Zerk fitting under the collar of this tool, and easily remove when done.



LOCKNLUBE PUSH-ON 90° ADAPTER

LNL121 \$10.99

A low-profile 90° adaptor for hard-to-reach grease fittings in areas with very little clearance over the Zerk. Fits standard and metric Zerk fittings. Easily connects to your LockNLube® Grease Coupler.



LOCKNLUBE SIMPLE 90° ADAPTER

LNL129 \$10.99

High quality grease fitting and coupler make the Simple 90° adapter perfect for your LockNLube® Grease Coupler. Use in confined spaces where grease fittings are hard to reach.



LOCKNLUBE MAGNETIC GREASE FITTING RELOCATION BLOCK

LNL220 \$34.99

A simple, fast way to relocate hard-to-reach fittings! Locking hose swivels (1/8" NPT) accept one or two hoses into a single manifold. No drilling or custom hose crimping required. Simply replace the fitting with an adapter (if needed) and 1/8" NPT grease hose. Powerful rare-earth magnet resists vibrations and jolts so it will stay in place.



1. Replace any fitting with our grease fitting relocation kit.
2. Connect the locking swivel on the relocation block to the hose.
3. Attach the block to your machine using the powerful magnet on the back.
4. Easily grease one or two fittings using the Zerks installed in the block.

**BEST
SELLER**



8-PC QUICK CONNECT GREASING ACCESSORY KIT

LNL210

\$79.99

You save 25% vs. buying all 8 separately!

Eight quick-connect adapters allow access to hard-to-reach grease fittings.

Includes:

- Simple 90° Adapter
- Push-On 90° Adapter
- 90° Grease Coupler Adapter
- Narrow Needle Nose Dispenser
- Grease Injector Needle
- Recessed (Cup) Extension
- Seal-Off Adapter
- Flexible 12" Quick-Connect Hose Adapter

COMPLETE GREASE FITTING REPLACEMENT KIT

LNL143

\$54.99

Includes most common SAE and metric grease fittings, large and small multi-tools, and 20 plastic caps to keep grease fittings clean and help them last longer. Bright plastic case keeps parts clean and easy to find even on the job site or the back of a dark truck.

Includes:

- Straight grease fittings in four sizes (10 each): 1/8" NPT, 1/4"-28 SAE-LT, 6x1 metric, 8x1 metric
- 90 degree SAE fittings (5 each): 1/8" NPT, 1/4"-28 SAE-LT
- Multi-tools (small and large) to replace fittings, remove broken fittings, and retap stripped holes
- 20 fittings caps, 10 each of yellow and red



**BEST
SELLER**

GREASE FITTING MULTI-TOOL

Easily install and extract grease fittings, or re-tap stripped holes. Two sizes available:

LARGE: 1/8" NPT THREAD - LNL125 \$16.99

- Fits 1/8" NPT, BSPT, M10x1 and other fittings with hex size 3/8" (9mm) and 7/16" (11mm)

SMALL: 1/4" 28 THREAD - LNL124 \$14.99

- Fits 1/4"-28, M6x1, M8x1 and other fittings with hex size 5/16" (7mm) and 3/8" (9mm)

SHORT NEEDLE TIP ADAPTER

05-042 \$4.99

For grease fittings in confined areas or for chainsaws, bicycles, and other grease points without Zerk fittings.



For manual grease guns.

RECESSED FITTING EXTENSION

LNL128 \$14.99

A rigid, narrow 3.5" extension for your grease coupler. Easily reaches Zerk fittings in recessed or confined areas. Tip has a concave cup shape to give some flexibility when positioning on the top of the Zerk fitting.

For manual grease guns.



GREASE INJECTOR NEEDLE

LNL123 \$5.99

Easily grease sealed bearings. Simply insert needle under or through rubber cover to apply grease to bearings. Made of 18 gauge steel with protective plastic cover.

For manual grease guns.



NEW!

NARROW NEEDLE NOSE DISPENSERS

CHOOSE YOUR SIZE!

LNL122 REG \$10.99

OVERALL LENGTH: 3.125 IN/80 MM

LNL222 XL \$14.99

OVERALL LENGTH: 7.5 IN/190.5 MM

- Extra reach for hard-to-reach grease fittings
- Works best with the LockNLube® Grease Coupler
- Delivers a fine line of grease for shafts and other applications

For manual grease guns.



QUICK-CONNECT HOSE ADAPTERS

LNL126 STRAIGHT \$17.99

LNL126-90 90° ADAPTER \$19.99

Access hard-to-reach grease fittings with this 12" extension hose. Includes a heavy-duty 4-jaw grease coupler. Works best with the LockNLube® Grease Coupler.

For manual grease guns.

SEAL-OFF GREASE ADAPTER

LNL127 \$9.99

Used for lubricating grease plugs, chainsaw tips, or any other grease ports that do not have Zerk fittings. The grease fitting in the back of the adapter easily locks into your LockNLube® Grease Coupler so you can attach this quickly when needed.

For manual grease guns.




GREASE FITTING SETS

STAINLESS STEEL - 40 PCS - SAE

LNL140 \$89.99

- 1/4" - 28 SAE LT Straight (10)
- 1/8" - 27 PTF Straight (10)
- 1/8" - 27 PTF 45° Angle (5)
- 1/8" - 27 PTF 90° Angle (5)
- 1/4" - 28 SAE LT 90° Angle (5)
- 1/4" - 28 SAE LT 45° Angle (5)



80 PCS - SAE

LNL141 \$36.99

- 1/8" - 27 PTF Straight (25)
- 1/4" - 28 SAE LT Straight (15)
- 1/4" - 28 SAE LT 45° Angle (10)
- 1/8" - 27 PTF 45° Angle (10)
- 1/8" - 27 PTF 90° Angle (10)
- 1/4" - 28 SAE LT 90° Angle (10)

80 PCS - METRIC

LNL142 \$36.99

- M6 x 1 Straight (20)
- M6 x 1 90° Angle (10)
- M10 x 1 Straight (15)
- M8 x 1 Straight (15)
- M8 x 1 90° Angle (10)
- M10 x 1 90° Angle (10)

All fittings from LNL141 & LNL142 also sold individually. See our website or call for pricing.



GREASE FITTING THREAD TESTER

LNL132 \$39.99

This aluminum thread tester helps you easily identify thread patterns for all common standard and metric grease fittings.

GREASE FITTING CAPS

LNL134 - YELLOW \$9.99

LNL137 - RED \$9.99

Bag of 50 caps. Fits all standard grease fittings - SAE & Metric. Integrated collar slides onto the fitting, keeping the cap safely attached.



GREASE GUN BARREL CAP

LNL161	YELLOW	\$7.99
LNL165	GREEN	\$7.99
LNL166	BLACK	\$7.99

The Grease Gun Barrel Cap, a.k.a. Grease Gundo, is a perfect addition to any grease gun. Compatible with any standard 14 oz. grease gun (manual, cordless, pneumatic), it stops drips and leaks with a high-quality nitrile rubber cap. Available in three colors, this tool helps operators using different greases to color code their grease guns and avoid cross-contamination.




GREASE COUPLER CAP

LNL181 - YELLOW	
LNL182 - ORANGE	
LNL183 - RED	
LNL184 - BLUE	
LNL185 - GREEN	
LNL186 - BLACK	

Available individually
or in 5 or 10 packs

SINGLE	\$.99
5 PACK	\$3.99
10 PACK	\$5.99

The coupler cap keeps your grease coupler clean when not in use.



LOCKNLUBE UNIVERSAL BEARING PACKER

LNL145	\$19.99
--------	---------

Universal Bearing Packer with threaded center post for use with grease guns. The design incorporates a standard grease fitting at one end which easily connects to any grease gun coupler. Heavy-duty, all-metal construction. Cone diameter is 4 1/2".


Suited for bearings with a min. inner diameter of 1/2" (12 mm), to a max. outer diameter of 5" (125 mm) and height from 1/4" (6 mm) to 2" (50 mm)

HEAVY-DUTY GREASE GUN HOLDER

LNL133	\$19.99
--------	---------

Industrial strength holder can be mounted to walls, machinery, or heavy equipment. It is designed to retain your grease gun securely even in high vibration environments. Works with all standard 14 oz. grease guns.

Mounting hardware not included.



THE ORIGINAL GREASE BUSTER®

MADE IN USA

GB17

\$54.99

Open up clogged grease fittings with the Grease Buster®. Simply fill with a solvent and tap the piston with a hammer. The updated design includes a textured grip and two O-rings on the piston. Manufactured by LockNLube in the USA.

- Cleans and flushes out old dried grease from fittings, pins, shafts, bushings, and joints
- Uses penetrating fluid and hydraulic pressure
- Reduces downtime. Much cheaper than new bearings!
- Hose extension and pneumatic piston available separately



PNEUMATIC PISTON

GB18

\$22.99

Our pneumatic piston replaces the included Grease Buster® piston to take advantage of the added force and vibration of an air hammer. Double O-ring for extreme performance and durability.



HOSE EXTENSION

GB19

\$14.99

The 5" Hose Extension replaces the installed Grease Buster® coupler to make it easier to reach clogged fittings in tight spaces. Includes a heavy-duty 4-jaw coupler to attach securely to your Zerk.



KROIL PENETRATING OIL

KL081

\$19.99

When it comes to freeing corroded items in tough spaces nothing rivals powerful, industry-proven, Kroil penetrating oil. Used and trusted by pros and experienced DIYers alike since 1939, Kroil quickly loosens rusted nuts and bolts, frees frozen shafts, and pulleys. No space is too tight to reach thanks to Kroil's ability to penetrate the smallest opening, thread or crevice. Corrosion meets its match, as Kroil removes and prevents rust, cleans and lubricates, and displaces moisture.



8 oz. can with cap

DOUBLE ACTION TRANSFER PUMP

LNL159

\$29.99

Transfer fluids easily with no mess or spills

- Rugged aluminum die-cast head
- Steel barrel in premium powder-coated finish with heavy-duty rubber plunger
- 'V' type drop-resistant plunger handle

Hoses are both 4' long and of 2 different sizes, intake and output.

- Intake (narrower): ID 10mm - OD 15mm
- Output (wider) ID 15mm - OD 20mm



PRESSOL G2 LEVER BARREL PUMP

13044

\$108.00

Unlike cheaper barrel pumps, the Pressol G2 is able to handle everything from antifreeze and diesel to heavy oils up to SAE 50. Heavy-duty construction, won't react with or contaminate volatile fluids. High-flow output delivers over 6 gallons per minute!

Easily adjust from spigot to hose, as well as adjust the location of the spigot in 30° increments without unscrewing lock rings. Minimize drips, messes, and waste. Maximize output.

Includes:

- High-flow output delivers over 6 gallons/minute!
- Telescopic suction tube, adjustable in length (from 13"-37")
- 2" Barrel screw coupling (part G) M64x4 barrel screw coupling (part M)
- 60" Discharge hose, with steel discharge spout
- Hose holder
- Plastic discharge spout



PRESSOL G2 ROTARY BARREL PUMP

13056

\$108.00

Pressol G2 Rotary Barrel Pump is able to handle everything from antifreeze and diesel to heavy oils up to SAE 90. Heavy-duty construction, won't react with or contaminate volatile fluids. High-flow output delivers almost 5 gallons/minute (diesel)!

Includes:

- High-flow output delivers nearly 5 gallons/minute!
- Smooth hand rotating operation
- Excellent suction performance due to precision component design
- Discharge hose, 2 m, with steel discharge spout
- Barrel screw coupling G 2"
- Impact-resistant pump housing
- Non-slip handle
- Assembly and container change without tools

PRESSOL

Made in Germany



**BEST
SELLER**

CLIP BENDER®

CB001 \$18.99

The Clip Bender® is a patented hand tool used for securing T-Post fence clips. It is made in the USA of 100% steel with a black oxide coating to prevent rust. The comfortable rubber handle is bright yellow for greater visibility. With its durability and unique design the Clip Bender® is without a doubt the best tool for the job!

MADE IN USA

Clip Bender®

**The ideal tool for securing
T-Post fence clips**



WORKS ON: Barbed Wire, Woven Wire, Hog Wire Stock Panels, Horse Panels

Clip Bender®
CBC-50
**Galvanized T-Post
Fence Clips (50 Pack)**

Made in the USA from heavy gauge 14.5 galvanized steel wire
For attaching non-electrified wire to T-Posts.
Fit standard size 1.25 and 1.33 lb. studded T-posts.
Best when installed with a C-clip Bender® tool.



LOCKN'LUBE
www.locknlube.com

GALVANIZED T-POST FENCE CLIPS

CBC-50	\$8.99
CBC-100	\$15.99
CBC-500	\$59.99
CBC-1000	\$89.99

Made in the USA from heavy gauge 14.5 galvanized steel wire. For attaching non-electrified wire to T-Posts. Fit standard size 1.25 and 1.33 lb. studded T-posts. Best when installed with a Clip Bender® tool.

Available in 50, 100, 500, 1000 packs

THE ORIGINAL TEXAS FENCE FIXER

MADE IN USA

TFF01

\$99.99

The Original Texas Fence Fixer takes a tough chore and makes it quick and easy. Works with barbed wire, electric fence wire, horse fencing, or net wire fence. Will work on 16 gauge and up to 12.5 gauge Hi-Tensile and Mild Steel wire. Durable and comes with a lifetime replacement guarantee. No need to remove staples or tie wires, now a repair can be done in approximately 60 seconds.

Use anywhere along the fence line that needs stretching and the result is a neat, tight wire. The tool has two hinges that are indented; you place the fence to be tightened into those slots, grab another slice of wire tightening them on both ends with a small leverage hole available in the middle. Take your pliers or fence tool and rotate (circle) around. This pulls the wire tight and your fence is stretched.

Don't get fooled by knock-offs, get the one-and-only Original Texas Fence Fixer from LockNLube.




CHANNELLOCK® MODEL 85 FENCING PLIER

85

\$34.99

The last fence plier you'll ever buy, and one you can hand down to the next generation. The Channellock® 85 fencing plier is 10.5" long with a curved grip in signature Channellock® blue for comfort and leverage. The cutting shears are laser heat treated to last longer and easily cut high tensile wire. The 6-in-1 design includes a hammer, staple starter, puller, wire stretcher, and two cutters. The quality and versatility of this tool is unmatched.



VERMONT WORK GLOVES

39G SIZES XS-XXL (7-12) **\$100.00**

MADE IN USA

The best work gloves you'll ever own. Handmade in Vermont since 1920, these gloves get better with age. The goat leather forms to your hands over time, getting softer and more pliable as you use them. Get them wet? No problem, they dry soft, unlike cow leather. The outside seams give your thumb, the palm of your hand, and tips of your fingers incredible feel and dexterity, whether you're mucking out a barn or picking a nail off the floor, these gloves get the job done. You want these gloves to be snug, they'll wear well and form to your hands. Size down from what you're used to.



*Merino wool liners also available,
call or see our website!*


WEAVER LEATHER FENCING PLIERS HOLSTER

WL001

\$14.99

MADE IN USA

American-made Weaver Leather holster for your fencing pliers. Perfect for your Channellock® 85 (or any other fencing pliers too, we just like the 85's).



GREASE GUN BARREL TOOLBELT

LNL130

\$29.99

NEW!

Tired of misplacing your adapters when greasing? Would you like a handy little screwdriver to clear dirt and gunk away from your Zerks before you lock on your grease coupler? Check out the NEW Grease Gun Barrel Toolbelt!

Securely holds the **included** Screwdriver, Simple 90° Adapter, and Regular Narrow Needle Adapter. As well as a slot to clip in your LockNLube® Grease Gun Coupler! Equip your grease gun with all the tools you need on the job, order yours today—makes a great gift!

TO INSTALL: remove the **HEAD** of the grease gun, **NOT** the bottom, and slide it down over the barrel. **PLEASE DO NOT ATTEMPT TO UNSCREW THE BOTTOM CAP.** Doing so may compromise the functionality of your grease gun. (Not to mention it can make a big ol' mess!)

PACKAGE INCLUDES:

- Rubber Grease Gun Barrel Toolbelt
- Screwdriver (flat head)
- Simple 90° Adapter
- Narrow Needle Adapter
- Fits standard 14 oz grease gun barrels



*Get those hard
to clean areas
turn by turn!*



Wand Wizard®



Easily adjusts from 0° - 90°

Multi-Position Rotating Axis



QUICK COUPLING WW15 \$29.99
1/4" FEMALE NPT WW20 \$29.99

Quickly change the spray angle on your pressure washer wand!
 Straight across to straight down, and everything in between.

PRESSURE WASHER QUICK COUPLING

D10001 FNPT \$8.99
D10002 MNPT \$8.99

AVAILABLE IN TWO STYLES

D10001 GP Pressure Washer Quick Coupler
 Female Socket 1/4" FNPT Brass

D10002 GP Pressure Washer Quick Coupler Male
 Socket 1/4" MNPT Brass



Connect and disconnect your pressure washer hoses,
 guns, and nozzles with these high-quality couplers.
 Recommended for use with our Wand Wizard®!


Or call 603-795-2298

33

LOCKNLUBE POCKET T-SHIRT

LNL923-M	MEDIUM	\$17.99
LNL923-L	LARGE	\$17.99
LNL923-XL	XL	\$17.99
LNL923-2XL	2XL	\$17.99

Charcoal, 100% cotton, pocket t-shirt. Works on the job site and anywhere else you choose to wear it. Join the LockNLube Maintenance Division today!



LOCKNLUBE LOW PRO TRUCKER

LNL901 BLACK \$17.99

Low crown, mesh-back trucker hat.

The most popular hat style at the construction shows this year, now available from LockNLube!

LOGO STICKERS

STK0003 \$1.99

LockNLube and LockNFlate diecut, full color, logo stickers. Includes one of each, 6" wide by 1.3" tall.

LOCKNLUBE
LOCKNFLATE



LOCKNLUBE COTTON HAT

LNL902 BLACK \$17.99

Keep it simple with the lived-in look of this garment washed, unstructured ball cap.

LOCKN LUBE

24 Interchange Drive | West Lebanon, NH 03784 | sales@locknlube.com | (603) 795-2298

Mail-In Order Form

Please fill in the items requested with SKUs, quantities and totals and mail this form to:
LockNLube • 24 Interchange Drive • West Lebanon, NH 03784

Your Mailing Address:

Name: _____ Date: _____

Street Address: _____

City: _____ State: _____ Zip: _____

Phone: (required) _____ Email: _____

SKU	Price	Quantity	Total

Add \$5 for shipping on orders less than \$25.

Outside the US? Call or email for rates.

Prices **DO NOT** include sales tax. Call or email for exact rate.

SHIPPING

TAX

Order Total:

TOTAL

We Accept:



Card Number:

Expiration Date: /

Security Code:

Billing Zip Code: (if different from mailing address) _____

Name on card: _____

Signature: _____


Please make check payments payable to: LockNLube

Please contact us with any questions or concerns at (603) 795-2298 or sales@locknlube.com

Or call 603-795-2298



“Greatest thing since the invention of the
aluminum beer can... won't own a
grease gun without it” —Chris C.



LOCK'N LUBE

24 Interchange Drive
West Lebanon, NH 03784

